

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFIER	2P14/PU – Copper alloy in drops
1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST	Alloy for goldsmith
1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET	Pandora Alloys srl Via Galvani, 14 20094 Corsico (MI) Italia ☎ +39 02 45 86 40 35 📠 +39 02 45 86 98 40 ✉ info@pandoralloys.com 🌐 www.pandoralloys.com
1.4 EMERGENCY TELEPHONE NUMBER	Centro antiveleni c/o Niguarda Hospital P.za Ospedale Maggiore, 3 Milano – Italy ☎ +39 02 66 10 10 29 (24h)

2. HAZARDS IDENTIFICATION

2.1 SUBSTANCE CLASSIFICATION FURTHER HAZARDS	None to report.
--	-----------------

3. COMPOSITION / INFORMATION ON INGREDIENTS

Cu, Ag, Zn - NOT DANGEROUS

4. FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES AFTER SMOKE INHALATION	It's good practice melting under extraction hoods or in closed casting machines, in case of fumes inhalation ventilate the room. In case of illness seek medical advice.
AFTER CONTACT WITH SKIN	No danger reported from normal use. Seek medical advice in presence of known sensitivity. In case of contact with molten metal, evaluate the extent of the burn and seek medical attention.
AFTER CONTACT WITH EYES	In event of irritation from fumes oxide, rinse with water. Consult your doctor if you develop conjunctivitis.
AFTER INGESTION	No risks reported.
4.2 MAIN SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	Vapor / fumes / dust: coughing, sneezing or lacrimation. In case of repeated or prolonged exposure, possible gastrointestinal disturbances, breathing difficulty, hypotension, cramps, and fever. Symptoms can occur with a certain delay.

4.3 INDICATION OF THE POSSIBLE NEED OF IMMEDIATE MEDICAL ADVICE OR SPECIAL TREATMENTS

Follow the procedures of safety agreed in your company

5. EXTINGUISHING METHODS

- 5.1 Extinguishing media

Recommended extinguisher	None in particular
Forbidden extinguisher	Do not use water on molten metals
- 5.2 Special dangers due to the substance or to the mix

None in particular. Molten alloy might release smokes and vapor made up of oxides.
- 5.3 Recommendations to the employees in charge of fire extinction

Use adequate protections in case of smokes.
Follow the procedures of extinguishing agreed in your company.

6. MEASURES IN CASE OF ACCIDENTAL RELEASE

- 6.1 Personal precautions, protection devices and procedures in case of emergency

Inert material. Use individual protection devices in case of certain sensibility to the mix. Use protection devices in case of exposition to vapors and smokes. During working time, follow the safety procedures agreed in your company.
- 6.2 Environmental precautions

Avoid release in the environment
- 6.3 Methods and materials for containment and collection

Collect material using devices suitable to re-use the material itself and/or its recovery by the producer.
- 6.4 reference to other sections

See sections 8 e 13

7. HANDLING AND STORAGE

- 7.1 Precautions for a safe handling

Alloys can be handled without any particular precaution. During casting, melting, mechanical works, annealing and welding, provide for ventilation. Do not breathe dust, vapors and smokes.
- 7.2 Conditions for a safe storage, including possible incompatibilities.

Alloys can be stored without any particular precaution. For a better use, it is suitable a covered and dry place for storage.
- 7.3 Final specific uses

Copper alloy to be molten with pure gold.

8. EXPOSITION CONTROL/PERSONAL PROTECTION

- 8.1 Control parameters

Limit values for zinc oxide TLV-TWA - smokes: 5 mg/m³, dusts: 10 mg/m³
- 8.2 Controls of exposition

Respiratory protection	Workplace should be ventilated, in case of need use protective masks and aspiration while casting. If aspiration devices are not available, use a ventilation device suitable for casting process.
Hands protection	Use gloves suitable for casting.
Eyes protection	Use protective glasses while casting.
Skin protection	Use protective clothes and gloves

