

Via Galvani, 14 - 20094 Corsico (MI) - Italy Tel. (+39) 02 45864035 - Fax (+39) 02 45869840 e-mail: info@pandorallovs.com Internet: www.pandoralloys.com

#### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFIER 2P18S - Copper alloy in drops

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED **AGAINST** 

Alloy for goldsmith

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Pandora Alloys srl Via Galvani, 14 20094 Corsico (MI)

Italia

**+39 02 45 86 40 35** 昌 +39 02 45 86 98 40 www.pandoralloys.com

1.4 EMERGENCY TELEPHONE NUMBER

Centro antiveleni c/o Niguarda Hospital P.za Ospedale Maggiore, 3

Milano - Italy

## +39 02 66 10 10 29 (24h)

#### 2. HAZARDS IDENTIFICATION

2.1 SUBSTANCE CLASSIFICATION **FURTHER HAZARDS** 

None to report.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Cu, Zn, Ag - NOT DANGEROUS

## 4. FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES

AFTER SMOKE INHALATION

AFTER CONTACT WITH EYES

It's good practice melting under extraction hoods or in closed casting machines, in case of fumes inhalation ventilate the room. In case of illness seek medical

AFTER CONTACT WITH SKIN

No danger reported from normal use. Seek medical advice in presence of known sensitivity.

In case of contact with molten metal, evaluate the extent of the burn and seek medical attention. In event of irritation from fumes oxide, rinse with

water. Consult your doctor if you develop

conjunctivitis.

No risks reported.

AFTER INGESTION

4.2 MAIN SYMPTOMS AND EFFECTS, BOTH

ACUTE AND DELAYED

Vapor / fumes / dust: coughing, sneezing or lacrimation. In case of repeated or prolonged exposure, possible gastrointestinal disturbances, breathing difficulty, hypotension, cramps, and fever.

Symptoms can occur with a certain delay. Follow the procedures of safety agreed in your

4.3 INDICATION OF THE POSSIBLE NEED OF IMMEDIATE MEDICAL ADVICE OR SPECIAL **TREATMENTS** 

company

SCHEDA DI SICUREZZA - MSDS 2P18S 22.01.2019 Rev. 1 Pag. 1 di 4 1907/2006/EC, EU Nr. 2015/830



#### 5. EXTINGUISHING METHODS

5.1 Extinguishing media

Recommended extinguisher None in particular

Forbidden extinguisher Do not use water on molten metals

5.2 Special dangers due to the substance or to the mix

None in particular. Molten alloy might release smokes and vapor made up of oxides.

5.3 Recommendations to the employees in charge of fire extinction

Use adequate protections in case of smokes.

Follow the procedures of extinguishing agreed in your company.

## 6. MEASURES IN CASE OF ACCIDENTAL RELEASE

- 6.1 Personal precautions, protection devices and procedures in case of emergency Inert material. Use individual protection devices in case of certain sensibility to the mix. Use protection devices in case of exposition to vapors and smokes. During working time, follow the safety procedures agreed in your company.
- 6.2 Environmental precautions

Avoid release in the environment

- 6.3 Methods and materials for containment and collection

  Collect material using devices suitable to re-use the material itself and/or its recovery by the producer.
- 6.4 reference to other sections See sections 8 e 13

#### 7. HANDLING AND STORAGE

7.1 Precautions for a safe handling

Alloys can be handled without any particular precaution. During casting, melting, mechanical works, annealing and welding, provide for ventilation. Do not breathe dust, vapors and smokes.

7.2 Conditions for a safe storage, including possible incompatibilities.

Alloys can be stored without any particular precaution. For a better use, it is suitable a covered and dry place for storage.

7.3 Final specific uses

Copper alloy to be molten with pure gold.

#### 8. EXPOSITION CONTROL/PERSONAL PROTECTION

8.1 Control parameters

Limit values for zinc oxide TLV-TWA - smokes: 5 mg/m³, dusts: 10 mg/m³

8.2 Controls of exposition

Respiratory protection Workplace should be ventilated, in case of need use protective

masks and aspiration while casting. If aspiration devices are not available, use a ventilation device suitable for casting process.

Hands protection

Eyes protection

Skin protection

Use gloves suitable for casting.

Use protective glasses while casting.

Use protective clothes and gloves

| SCHEDA DI SICUREZZA - MSDS    | 2P18S  | 22.01.2019 | Rev 1   | Pag 2 di 4   |
|-------------------------------|--------|------------|---------|--------------|
| 1907/2006/EC, EU Nr. 2015/830 | 21 100 | 22.01.2010 | 1101. 1 | 1 ag. 2 ai i |



# 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information about the basic physical and chemical properties

Aspect: alloy in drops Odor: odorless

Olfactory threshold: n.a. pH: n.a.

Flash temperature: n.a. Boiling temperature: not detected

Flash: not flammable Evaporation rate: n.a.

Vapor pressure: n.a. Explosiveness higher/lower limits: n.a.

Melting temperature: ~ 900 °C Solubility: insoluble in water

Relative density: ~ 9 g/cm³ Vapor density: n.a.

Distribution coefficient: n.a. Ignition temperature: n.a.

Decomposition temperature: n.a. Viscosity: n.a.

Explosive properties: n.a. Oxidizing properties: n.a.

9.2 Other information None

#### 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

High reactivity in presence of acids, oxidizing agents and caustic products

### 10.2 Chemical stability

Stable product

## 10.3 Possible dangerous reactions

Possible development of hydrogen and nitrogen tetroxide in presence of strong oxidizing mineral acids

## 10.4 Conditions to avoid

Avoid contact between alloy drops and acids, oxidizing agents or caustic products. Avoid melting temperature higher than the range indicated in the related tech chart.

## 10.5 Incompatible materials

Oxidizing agents, acids and caustic products

## 10.6 Dangerous products due to decomposition

None

## 11. TOXICOLOGICAL INFORMATION

## 11.1 information about toxicological effects

| Acute toxicity              | n.a. |
|-----------------------------|------|
| Irritation                  | n.a. |
| Corrosivity                 | n.a. |
| Sensitization               | n.a. |
| Toxicity with repeated dose | n.a. |
| Cancer-causing              | n.a. |
| Mutagenicity                | n.a. |
| Toxic for reproduction      | n.a. |

## 12. ECOLOGICAL INFORMATION

| 12.1 Toxicity                      | n.a. |
|------------------------------------|------|
| 12.2 Persistence and degradability | n.a. |
| 12.3 Bioaccumulative potential     | n.a. |
| 12.4 Mobility on soil              | n.a. |
| 12.5 Results on PBT and VPVB value | n.a. |
| 12.6 Other negative effects        | n.a. |

| SCHEDA DI SICUREZZA - MSDS    | 2P18S  | 22.01.2019 | Rev 1  | Pag. 3 di 4 |
|-------------------------------|--------|------------|--------|-------------|
| 1907/2006/EC. EU Nr. 2015/830 | 21 100 | 22.01.2013 | TCV. I | rag. o ar + |



# 13. DISPOSAL CONSIDERATION

13.1 Methods of waste treatment Reuse if possible.

Follow the procedures and laws of your Country.

#### 14. INFORMATION ON TRANSPORT

14.1 UN number n.a.

14.2 UN shipping rule n.a.

14.3 Class of danger referred to transport n.a.

14.4 Packing group n.a.

14.5 Danger for environment n.a.

14.6 Special precautions for users n.a.

14.7 Collect transport according to

Marpol 73/78 and IBC code n.a.

## 15. INFORMATION ON REGULATIONS

15.1 Rules and laws on health, security and environment, specific for the mix This chart follows the directions of CE Rule 1272/2008

15.2 Chemical safety value no

## **16. OTHER INFORMATION**

This chart has been written as per our knowledge at the present date. The user is asked to check if information are suitable and complete referred to the use of the alloy. Information on this chart are a description of characteristics of this product about its safety; this chart is not a guarantee of properties of this product.

This chart substitutes every previous communication.