

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFIER	PD 625 L – Silver alloy in drops
1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST	Alloy for goldsmith and precious jewelry
1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET	Pandora Alloys srl Via Galvani, 14 20094 Corsico (MI) Italia ☎ +39 02 45 86 40 35 📠 +39 02 45 86 98 40 ✉ info@pandoralloys.com 🌐 www.pandoralloys.com
1.4 EMERGENCY TELEPHONE NUMBER	Centro antiveleni c/o Niguarda Hospital P.za Ospedale Maggiore, 3 Milano – Italy ☎ +39 02 66 10 10 29 (24h)

2. HAZARDS IDENTIFICATION

2.1 SUBSTANCE CLASSIFICATION FURTHER HAZARDS	None to report.
--	-----------------

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ag, Cu, Pd, Zn - NOT DANGEROUS

4. FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES AFTER SMOKE INHALATION	It's good practice melting under extraction hoods or in closed casting machines, in case of fumes inhalation ventilate the room. In case of illness seek medical advice.
AFTER CONTACT WITH SKIN	No danger reported from normal use. Seek medical advice in presence of known sensitivity. In case of contact with molten metal, evaluate the extent of the burn and seek medical attention.
AFTER CONTACT WITH EYES	In event of irritation from fumes oxide, rinse with water. Consult your doctor if you develop conjunctivitis.
AFTER INGESTION	No risks reported.
4.2 MAIN SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	Vapor / fumes / dust: coughing, sneezing or lacrimation. In case of repeated or prolonged exposure, possible gastrointestinal disturbances, breathing difficulty, hypotension, cramps, and fever. Symptoms can occur with a certain delay.
4.3 INDICATION OF THE POSSIBLE NEED OF IMMEDIATE MEDICAL ADVICE OR SPECIAL TREATMENTS	Follow the procedures of safety agreed in your company

5. EXTINGUISHING METHODS

- 5.1 Extinguishing media
 Recommended extinguisher None in particular
 Forbidden extinguisher Do not use water on molten metals
- 5.2 Special dangers due to the substance or to the mix
 None in particular. Molten alloy might release smokes and vapor made up of oxides.
- 5.3 Recommendations to the employees in charge of fire extinction
 Use adequate protections in case of smokes.
 Follow the procedures of extinguishing agreed in your company.

6. MEASURES IN CASE OF ACCIDENTAL RELEASE

- 6.1 Personal precautions, protection devices and procedures in case of emergency
 Inert material. Use individual protection devices in case of certain sensibility to the mix. Use protection devices in case of exposition to vapors and smokes. During working time, follow the safety procedures agreed in your company.
- 6.2 Environmental precautions
 Avoid release in the environment
- 6.3 Methods and materials for containment and collection
 Collect material using devices suitable to re-use the material itself and/or its recovery by the producer.
- 6.4 reference to other sections
 See sections 8 e 13

7. HANDLING AND STORAGE

- 7.1 Precautions for a safe handling
 Alloys can be handled without any particular precaution. During casting, melting, mechanical works, annealing and welding, provide for ventilation. Do not breathe dust, vapors and smokes.
- 7.2 Conditions for a safe storage, including possible incompatibilities.
 Alloys can be stored without any particular precaution. For a better use, it is suitable a covered and dry place for storage.
- 7.3 Final specific uses
 Silver alloy to be molten with pure gold.

8. EXPOSITION CONTROL/PERSONAL PROTECTION

- 8.1 Control parameters
 Limit values for zinc oxide TLV-TWA - smokes: 5 mg/m³, dusts: 10 mg/m³
- 8.2 Controls of exposition
- | | |
|------------------------|--|
| Respiratory protection | Workplace should be ventilated, in case of need use protective masks and aspiration while casting. If aspiration devices are not available, use a ventilation device suitable for casting process. |
| Hands protection | Use gloves suitable for casting. |
| Eyes protection | Use protective glasses while casting. |
| Skin protection | Use protective clothes and gloves |

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information about the basic physical and chemical properties

Aspect: alloy in drops	Odor: odorless
Olfactory threshold: n.a.	pH: n.a.
Flash temperature: n.a.	Boiling temperature: not detected
Flash: not flammable	Evaporation rate: n.a.
Vapor pressure: n.a.	Explosiveness higher/lower limits: n.a.
Melting temperature: ~ 1'000 °C	Solubility: insoluble in water
Relative density: ~ 9 g/cm ³	Vapor density: n.a.
Distribution coefficient: n.a.	Ignition temperature: n.a.
Decomposition temperature: n.a.	Viscosity: n.a.
Explosive properties: n.a.	Oxidizing properties: n.a.

9.2 Other information None

10. STABILITY AND REACTIVITY

10.1 Reactivity

High reactivity in presence of acids, oxidizing agents and caustic products

10.2 Chemical stability

Stable product

10.3 Possible dangerous reactions

Possible development of hydrogen and nitrogen tetroxide in presence of strong oxidizing mineral acids

10.4 Conditions to avoid

Avoid contact between alloy drops and acids, oxidizing agents or caustic products. Avoid melting temperature higher than the range indicated in the related tech chart.

10.5 Incompatible materials

Oxidizing agents, acids and caustic products

10.6 Dangerous products due to decomposition

None

11. TOXICOLOGICAL INFORMATION

11.1 information about toxicological effects

Acute toxicity	n.a.
Irritation	n.a.
Corrosivity	n.a.
Sensitization	n.a.
Toxicity with repeated dose	n.a.
Cancer-causing	n.a.
Mutagenicity	n.a.
Toxic for reproduction	n.a.

12. ECOLOGICAL INFORMATION

12.1 Toxicity	n.a.
12.2 Persistence and degradability	n.a.
12.3 Bioaccumulative potential	n.a.
12.4 Mobility on soil	n.a.
12.5 Results on PBT and VPVB value	n.a.
12.6 Other negative effects	n.a.

